



Optionen OMEGA STUDENT





Additional Parts Omega Student: Only use original components!

Omega springloaded pilotchute



Student ripcord.



RSL



Direct bag for static line use.



Second release handel AFF.





Additional Parts Omega Student: Only use original components!

Static line with velcro attachment, snap and coated wire pin.



Velcro attachment for pilotchute ass. static line.





Extras of the Studentrig:

Cypres checkwindow in the collar:



Cypres checkwindow
in the last Reserveflap:



Typ 8 Mainriser:



RSL :

2 Release handle / AFF:



Hipring adjustable:





How to close the maincontainer:

Place inside the POD.



S-Folde the bridle on top.



Arrange the pilotchute on top of the bridle.



Push the pilotchute down while slide the fabric between the coil.



Complete compressed pilotchute





How to close the maincontainer:

Close flap 1 and 2, with the pilotchute under flap 1.




Close flap 3.



Close flap 4.



Close the container with the ripcord. Don't forget to route it thru the ring of the 2 release handle!





Close the maincontainer with staticline:

Velcro attachment for pilotchute ass. option.



Close the velcro attachment



Use the complete length of the velcro.



Stow away the bridle/staticline.



Rubber stowed Staticline.

Hook up loop for staticline snap.






How to use a pack tube:

Pull the pack tube over your packed main.



Important! Attache the static line to the hand deploy attachment on your maincanopy.



Routing of the static line.



Fix it with a rubber band



Close the velcro. Take care about not to putt some fabric between the velcro!





How to use a pack tube:

The rest of the canopy should be so much that you can build an S-fold.



S-fold the canopy inside the pack tube.



Close the packtube with a rubber band. Like a normal bag also.



Check pictures of cloing the maincontainer.

Static line without a pin. Use shock cord to build a elastic loop.
Never use normal loop material!

